

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449-PTO				<div>Complete if Known</div> <table border="1"> <tr> <td>Application Number</td> <td>10/582,599</td> </tr> <tr> <td>Filing Date</td> <td>June 09, 2006</td> </tr> <tr> <td>First Named Inventor</td> <td>ROGER A. KAUTZ, et al.</td> </tr> <tr> <td>Art Unit</td> <td>1797</td> </tr> <tr> <td>Examiner Name</td> <td>SALLY A. SAKELARIS</td> </tr> <tr> <td>Attorney Docket Number</td> <td>NU-642XX</td> </tr> </table>		Application Number	10/582,599	Filing Date	June 09, 2006	First Named Inventor	ROGER A. KAUTZ, et al.	Art Unit	1797	Examiner Name	SALLY A. SAKELARIS	Attorney Docket Number	NU-642XX
Application Number	10/582,599																
Filing Date	June 09, 2006																
First Named Inventor	ROGER A. KAUTZ, et al.																
Art Unit	1797																
Examiner Name	SALLY A. SAKELARIS																
Attorney Docket Number	NU-642XX																
<div> <div>INFORMATION DISCLOSURE STATEMENT BY APPLICANT</div> <div>(Use as many sheets as necessary)</div> </div>																	
Sheet	1	of	4														

[illegible][illegible]

Examiner Signature	/Sally Sakelaris/	Date Considered	12/17/2009
--------------------	-------------------	-----------------	------------

EXAMINER: Initial if reference conserved, whether or not citation is in conformance with MPEP 609. Draw (line through citation) if not in conformance and not corrected. Include copy of this form with next communication to applicant. ¹ Applicant's unique citation designation number (optional). ² See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁴ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁵ Applicant is to place a checkmark in the appropriate box. This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the time of amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, USPTO, and Trademark Office, P.O. Box 1450, Alexandria, VA 22315-1450. DO NOT SEND FEES. COMPLETED FORMS TO THIS ADDRESS. SEND TO:

Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

Substitute for form 1449/PTO		Complete if Known	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary)		Application Number	10/582,599
		Filing Date	June 09, 2006
		First Named Inventor	ROGER A. KAUTZ, et al.
		Art Unit	1797
		Examiner Name	SALLY A. SAKELARIS
Sheet 2	of 4	Attorney Docket Number	NU-642XX

NON PATENT LITERATURE DOCUMENTS			
Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²
/S.S./		ADLER, H. et al., "Continuous Extraction of Body Fluid Samples, Including Whole Blood, Plasma and Urine"; Advances in Automated Analysis, Technicon International Congress, Vol. IX; Mediad Inc., Tarrytown, NY; (1973), pp. 81-85	
/S.S./		BEHNIA, B. and WEBB, A.G.; "Limited-Sample NMR Using Solenoidal Microcoils, Perfluorocarbon Plugs, and Capillary Spinning"; Analytical Chemistry; (1998); 70(24): 5326-5331	
/S.S./		CURCIO, M and ROERADE, J.; "Continuous Segmented-Flow Polymerase Chain Reaction for High-Throughput Miniaturized DNA Amplification"; Anal. Chem.; (2003) 75: 1-7	
/S.S./		ELDRIDGE, G. R, et al.; "High-Throughput Method for the Production and Analysis of Large Natural Product Libraries for Drug Discovery"; Anal. Chem.; (2002), 74: 3963-3971	
/S.S./		KAUTZ, R. A., et al.; "Sample Concentration and Separation for Nanoliter-Volume NMR Spectroscopy Using Capillary Isotachophoresis"; J. Am. Chem. Soc.; (2001); 123: 3159-3160	
/S.S./		KEIFER, P.A., "Flow NMR Applications in Combinatorial Chemistry"; Current Opinion in Chemical Biology; (2003a); 7(3): 388-394	
/S.S./		KEIFER, P.A., "Flow Injection Analysis NMR (FIA-NMR): A Novel Flow NMR Technique That Complements LC-NMR and Direct Injection NMR (DI-NMR)"; Magnetic Resonance in Chemistry; (2003b); 41(7): 509-516	

Examiner Signature	/Sally Sakelaris/	Date Considered	12/17/2009
--------------------	-------------------	-----------------	------------

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Applicant's unique citation designation number (optional). ² Applicant is to place a check mark here if English language Translation is attached. This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS.

SEND TO:
Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Substitute for form 1449/PTO		Complete if Known	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary)		Application Number	10/582,599
		Filing Date	June 09, 2006
		First Named Inventor	ROGER A. KAUTZ, et al.
		Art Unit	1797
		Examiner Name	SALLY A. SAKELARIS
		Attorney Docket Number	NU-642XX
Sheet	3	of	4

NON PATENT LITERATURE DOCUMENTS			
Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²
/S.S./		KEIFER, P.A., et al., "Direct-injection NMR (DI-NMR): A Flow NMR Technique for the Analysis of Combinatorial Chemistry Libraries". J. of Comb. Chem.; (2000); 2(2): 151-171	
/S.S./		LACEY, M.E., et al.; "H NMR Characterization of the Product from Single Solid-Phase Resin Beads using Capillary NMR Flow Probes"; Journal of Magnetic Resonance; (2001); 153(2): 215-222	
/S.S./		MACNAUGHTAN, M. A., et al.; "High-Throughput Nuclear Magnetic Resonance Analysis Using a Multiple Coil Flow Probe"; Anal. Chem.; (2003); 75(19): 5116-5123	
/S.S./		NORD, L. and KARBERT, B.; "Extraction Based on the Flow-Injection Principle. Part 6. Film Formation and Dispersion in Liquid-Liquid Segmented Flow Extraction Systems"; Analytica Chimica Acta; (1984); 164: 233-249	
/S.S./		OLSON D. L. et al.; "Microflow NMR: Concepts and Capabilities"; Analytical Chemistry.; (2004); 76(10) 2966-2974	
/S.S./		OLSON, D. L. et al.; "Nanoliter-Volume ¹ H NMR Detection Using Periodic Stopped-Flow Capillary Electrophoresis"; Anal. Chem.; (1999); 71(15): 3070-3076	
/S.S./		OLSON, D.L. et al.; "High-Resolution Microcoil ¹ H-NMR for Mass-Limited, Nanoliter-Volume Samples"; Science, (1995); 270(5244): 1967-70	
/S.S./		PATTON, C.J. and A. P. Wade, "Continuous Flow Analyzers"; Analytical Instrumentation Handbook, 2 nd ed. rev., G.W. Ewing, ed., Marcel Dekker, New York; (1997) pp. 152-155 and 207-212	

Examiner Signature	/Sally Sakelaris/	Date Considered	12/17/2009
--------------------	-------------------	-----------------	------------

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Applicant's unique citation designation number (optional). * Applicant is to place a check mark here if English language Translation is attached. This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO:

Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT <i>(Use as many sheets as necessary)</i>		Complete if Known	
		Application Number	10/582,599
		Filing Date	June 09, 2006
		First Named Inventor	ROGER A. KAUTZ, et al.
		Art Unit	1797
		Examiner Name	SALLY A. SAKELARIS
Sheet 4	of 4	Attorney Docket Number NU-642XX	

NON PATENT LITERATURE DOCUMENTS			
Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²
/S.S./		SONG, H., et al.; "A Microfluidic System for Controlling Reaction Networks in Time"; Angew. Chem. Int. Ed.; (2003a); 42(7): 768-772	
/S.S./		SONG, H., ISMAGILOV, R.F.; "Millisecond Kinetics on a Microfluidic Chip Using Nanoliters of Reagents"; J. Am. Chem. Soc.; (2003b); 125(47): 14613-14619	
/S.S./		WEBB, A. G., GRANT, S.C.; "Signal-to-Noise and Magnetic Susceptibility Trade-offs in Solenoidal Microcoils for NMR"; J. Magn. Reson., Ser. B; (1996); 113: 83-87	
/S.S./		WOLTERS, A.M., et al., "Microscale NMR"; Anal. Techniques; (2002a); 6: 711-716	
/S.S./		WOLTERS, A. M et al., "Capillary Isotachophoresis/NMR: Extension to Trace Impurity Analysis and Improved Instrumental Coupling"; Anal. Chem.; (2002b); 74: 2306-2313	
/S.S./		WOLTERS, A. M., et al.; "NMR Detection with Multiple Solenoidal Microcoils for Continuous-Flow Capillary Electrophoresis"; Anal. Chem.; (2002c); 74: 5550-5555	
/S.S./		TICE, J.D., "Formation of Droplets and Mixing in Multiphase Microfluidics at Low Values of the Reynolds and the Capillary Numbers"; Langmuir; (2003); 19: 9127-9133	

Examiner Signature	/Sally Sakelaris/	Date Considered	12/17/2009
--------------------	-------------------	-----------------	------------

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Applicant's unique citation designation number (optional). ² Applicant is to place a check mark here if English language Translation is attached. This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO:

Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.